

DATASHEET · COLD STORAGE

-40°C Freezer 608L 708L 808L 936L.

BIO

SKU BIO-BDF-40V608 | BIO-BD-40V708 | BIO-BDF-40V808 | BIO-BDF-40V936 Spec v1 Rev. 2026-06-25



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-06-25**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

PRODUCT TYPE	variable	MODEL	BIO-BDF-40V608, BIO-BD-40V708, BIO-BDF-40V808, BIO-BDF-40V936
AUTOMATION LEVEL	semi-automated	RESEARCH DOMAIN	Analytical Chemistry, Cancer Research, Cell Biology, Clinical Diagnostics, Developmental Biology, Immunology, Microbiology, Pharmaceutical Quality Control
TEMPERATURE RANGE	-15~-40°C	DIMENSIONS L×W×H (MM)	42.0 × 43.6 × 38.0
WEIGHT (KG)	30.0	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONFIGURATION

QTY	ITEM	SKU
1	-40°C Freezer 608L 708L 808L 936L	BIO-BDF-40V608 BIO-BD-40V708 BIO-BDF-40V808 BIO-BDF-40V936



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM BIO-BDF-40V608 | BIO-BD-40V708 | BIO-BDF-40V808 | BIO-BD
· DATASHEET **1 / 3**

DATASHEET · COLD STORAGE

-40°C Freezer 608L 708L 808L 936L.

BIO

SKU BIO-BDF-40V608 | BIO-BD-40V708 | BIO-BDF-40V808 | BIO-BDF-40V936 Spec v1 Rev. 2026-06-25

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
-40°C Freezer 608L 708L 808L 936L

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · COLD STORAGE

-40°C Freezer 608L 708L 808L 936L.

BIO

SKU BIO-BDF-40V608 | BIO-BD-40V708 | BIO-BDF-40V808 | BIO-BDF-40V936 Spec v1 Rev. 2026-06-25

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

CONTINUOUSLY VERIFIED · SPEC V1

Specifications verified against current published product data. Verified 2026-06-25 · Since 2026-06-25.

