


DATASHEET · LAB EQUIPMENT

6-Channel Continuous Syringe Pump.

SKU WHM-0030 Spec v1 Rev. 2026-07-09

DATASHEET · P
WHM-
 Rev 2026



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PRODUCT

NUMBER OF CHANNELS	6	SYRINGE RANGE	1 - 10 mL
STROKE	60 mm	THRUST	20 kgf
FLOW MODE	Continuous (non-pulsatile)	AUTOMATION LEVEL	semi-automated
BRAND	ConductScience	POWER/VOLTAGE	220V/50Hz
RESEARCH DOMAIN	Analytical Chemistry, Cell Biology, Environmental Monitoring, Materials Science, Microbiology, Pharmaceutical QC	DIMENSIONS L×W×H (MM)	410.0 × 270.0 × 365.0
WEIGHT (KG)	15.0	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONFIGURATION

QTY	ITEM	SKU
1	6-Channel Continuous Syringe Pump	WHM-0030



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

WHM-0030 · DATASH

DATASHEET · LAB EQUIPMENT

6-Channel Continuous Syringe Pump.

SKU WHM-0030 Spec v1 Rev. 2026-07-09

DATASHEET · P
WHM-
Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
6-Channel Continuous Syringe Pump

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · LAB EQUIPMENT

6-Channel Continuous Syringe Pump.

SKU WHM-0030 Spec v1 Rev. 2026-07-09

DATASHEET · P
WHM-
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience WHM-0030, Spec v1, 2026-07-09. conductscience.com/lab/6-channel-continuous-syringe-pump

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

WHM-0030 · DATASH