

DATASHEET · IVC SYSTEMS

80-Cage Double-Sided IVU Breeding System.

SKU CS-IVU-BR-080-DS Spec v1 Rev. 2026-08-16

DATASHEET · P
CS-IVU-BR-080-DS
Rev 2026-08-16



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE No
VERIFIED Spec v1 · 2026-08-16

PRODUCT SPECIFICATIONS FROM PUBLISHED PROI

CAPACITY AND LAYOUT	80 cages · 10 levels × 4 positions × 2 faces · double sided	BREEDING CAGE DIMENSIONS	390 × 370 × 130 mm
RACK DIMENSIONS	1820 × 820 × 2100 mm	CAGE MATERIAL	Polysulfone
VENTILATION	Centralized supply and exhaust	HUSBANDRY COMPONENTS	250 mL water bottle · plastic reco · PU sealed zipper
WATERING OPTION	Automatic watering configurable	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS BASE CONF

QTY	ITEM	SKU
1	80-Cage Double-Sided IVU Breeding System	CS-IVU-BR-080-DS

Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-IVU-BR-080-DS · DATASH

DATASHEET · IVC SYSTEMS

80-Cage Double-Sided IVU Breeding System.

SKU CS-IVU-BR-080-DS Spec v1 Rev. 2026-08-16

DATASHEET · P
CS-IVU-BR-080
Rev 2026-08-16

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
80-Cage Double-Sided IVU Breeding System

MATERIALS REFERENCE 0 MATERIALS

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · IVC SYSTEMS

80-Cage Double-Sided IVU Breeding System.

SKU CS-IVU-BR-080-DS Spec v1 Rev. 2026-08-16

DATASHEET · P
CS-IVU-BR-080
Rev 2026-08-16

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING TEMPERATURE HUMIDITY PRESSURE	STORAGE TEMPERATURE HUMIDITY ORIENTATION		
STERILIZATION & CLEANING <table><tr><td> AUTOCLAVE GAMMA AVOID </td><td> ETO WIPE </td></tr></table>		AUTOCLAVE GAMMA AVOID	ETO WIPE
AUTOCLAVE GAMMA AVOID	ETO WIPE		

ANIMAL COMPATIBILITY			BY SPECIES	NOTES	USE & S
SPECIES	BODY WEIGHT	CHAMBER FIT			

Specifications verified against current published product data. Verified 2026-08-16 · Since 2026-08-16.

Cite: ConductScience CS-IVU-BR-080-DS, Spec v1, 2026-08-16. conductscience.com/lab/80-cage-double-sided-ivu-breeding-system