

DATASHEET · ISOLATORS

Animal Surgery Isolator.

SKU CS-ISO-PYS2 Spec v1 Rev. 2026-08-16

DATASHEET · P
CS-ISO
Rev 2C



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE No
VERIFIED Spec v1 · 2026-08-16

PRODUCT SPECIFICATIONS FROM PUBLISHED PROI

EXTERNAL DIMENSIONS	1390 × 800 × 1430 mm	TRANSFER CHAMBER	Ø315 × 270 mm
HEPA FILTER	Cylindrical · Ø120 × 320 mm	WORK SURFACE	Heated surface · liquid and medi trough
HEATING	2 × 500 W	ELECTRICAL	AC 220 V · 150 W control box · 12 total
QUOTE CONFIRMATION	Procedure fit, temperature monitoring, transfer package, ventilation, controls, installation, and qualification	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS BASE CONF

QTY	ITEM	SKU
1	Animal Surgery Isolator	CS-ISO-PYS2

Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-ISO-PYS2 · DATASH

DATASHEET · ISOLATORS

Animal Surgery Isolator.

SKU CS-ISO-PYS2 Spec v1 Rev. 2026-08-16

DATASHEET · P
CS-ISO
Rev 20

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Animal Surgery Isolator

MATERIALS REFERENCE

0 MATERIA

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · ISOLATORS

Animal Surgery Isolator.

SKU CS-ISO-PYS2 Spec v1 Rev. 2026-08-16

DATASHEET · P

CS-ISO

Rev 20

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING TEMPERATURE HUMIDITY PRESSURE	STORAGE TEMPERATURE HUMIDITY ORIENTATION
STERILIZATION & CLEANING AUTOCLAVE GAMMA AVOID	ETO WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-08-16 · Since 2026-08-16.

Cite: ConductScience CS-ISO-PYS2, Spec v1, 2026-08-16. conductscience.com/lab/animal-surgery-isolator