

DATASHEET · SOLID PROCESSING

Automatic Capping Machine.

SKU BIO-BK-AC10 Spec v1 Rev. 2026-07-10

DATASHEET · P
BIO-BK-
Rev 2026



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE No
VERIFIED **Spec v1 · 2026-07-10**

PRODUCT SPECIFICATIONS FROM PUBLISHED PRODUCT

TUBE_COVER_DIAMETER	19.5/29.5mm	OPERATION_TIME	1.8 seconds to open or close lid
SENSING_METHOD	Diffuse reflection automatically sensing	OPERATION_METHOD	One hand operation
SAFETY_CABINET_COMP	Yes	WORK_QUANTITY_DISPL	Yes
AUTOMATION_LEVEL	semi-automated	DISPLAY_TYPE	Digital
RESEARCH_DOMAIN	Clinical Diagnostics, Environmental Monitoring, Immunology, Microbiology, Pharmaceutical QC, Toxicology	DIMENSIONS L×W×H (MM)	14.29 × 11.61 × 6.46
WEIGHT (KG)	8.22	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS BASE CONFIGURATION

QTY	ITEM	SKU
1	Automatic Capping Machine	BIO-BK-AC10

Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-BK-AC10 · DATASH

DATASHEET · SOLID PROCESSING

Automatic Capping Machine.

SKU BIO-BK-AC10 Spec v1 Rev. 2026-07-10

DATASHEET · P
BIO-BK-
Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Automatic Capping Machine

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · SOLID PROCESSING

Automatic Capping Machine.

SKU BIO-BK-AC10 Spec v1 Rev. 2026-07-10

DATASHEET · P

BIO-BK-

Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING TEMPERATURE HUMIDITY PRESSURE	STORAGE TEMPERATURE HUMIDITY ORIENTATION
STERILIZATION & CLEANING AUTOCLAVE GAMMA AVOID	ETO WIPE

ANIMAL COMPATIBILITY	BY SPECIES	NOTES	USE & S
SPECIES	BODY WEIGHT	CHAMBER FIT	

Specifications verified against current published product data. **Verified 2026-07-10 · Since 2026-07-10.**

Cite: ConductScience BIO-BK-AC10, Spec v1, 2026-07-10. conductscience.com/lab/automatic-capping-machine

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-BK-AC10 · DATASH