

DATASHEET · BENCHTOP INSTRUMENTS

Automatic Surface Tensiometer.

SKU BIO-0841 Spec v1 Rev. 2026-07-09

DATASHEET · P
BIO-
 Rev 2026
PREVIEW — FIELDS F



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

MODEL	BKST-200A	MEASURING RANGE	0~200.0mN/m
RESOLUTION	0.01mN/m	ACCURACY	≤±1%FS
REPEATABILITY ERROR	≤±1%FS	PLATINUM RING SPECIFICATION	Ring radius(R) 9.55mm, wire radius 0.3mm
STANDARD ACCESSORY	Platinum ring, hook, glass vessel, 1000-milligram weight*2, 500-milligram weight*1	POWER SUPPLY	AC110/220V, 50/60Hz
EXTERNAL SIZE(W*D*H)	260*200*310mm	PACKAGE SIZE(W*D*H)	300*300*400mm
NET WEIGHT	10kg	GROSS WEIGHT	12kg
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Automatic Surface Tensiometer	BIO-0841

Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0841 · DATASH

DATASHEET · BENCHTOP INSTRUMENTS

Automatic Surface Tensiometer.

SKU BIO-0841 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO-

Rev 2026

PREVIEW — FIELDS F

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Automatic Surface Tensiometer

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · BENCHTOP INSTRUMENTS

Automatic Surface Tensiometer.

SKU BIO-0841 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO-

Rev 2026

PREVIEW — FIELDS F

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience BIO-0841, Spec v1, 2026-07-09. conductscience.com/lab/automatic-surface-tensiometer

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0841 · DATASH