

DATASHEET · CENTRIFUGES

Biosafety Centrifuge.

SKU BIO-0328 Spec v1 Rev. 2026-07-12

DATASHEET · P
BIO-
Rev 2026



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE No
VERIFIED Spec v1 · 2026-07-12

PRODUCT SPECIFICATIONS FROM PUBLISHED PRODUCT

AUTOMATION LEVEL	semi-automated	MAX. SPEED	4000rpm
MAX. RCF	3580×g	MAX. CAPACITY	4*4*50ml
SPEED PRECISION	±20rpm	TIME RANGE	1s~99h59min
NOISE	≤65dB	CONSUMPTION	600W
EXTERNAL SIZE(L*W*H)	450*640*400mm	PACKAGE SIZE(L*W*H)	530*700*480mm
NO.	Rotor	BRAND	ConductScience
RESEARCH DOMAIN	Analytical Chemistry, Cancer Research, Cell Biology, Clinical Diagnostics, Immunology, Microbiology, Pharmaceutical QC	POWER/VOLTAGE	AC110~220V, 50/60Hz
WEIGHT	65kg	CAPACITY	Max. Speed(rpm)
DIMENSIONS L×W×H (MM)	40.0 × 45.0 × 64.0	WEIGHT (KG)	50.0
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS BASE CONFIGURATION

QTY	ITEM	SKU
1	Biosafety Centrifuge	BIO-0328



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0328 · DATASH

DATASHEET · CENTRIFUGES

Biosafety Centrifuge.

SKU BIO-0328 Spec v1 Rev. 2026-07-12

DATASHEET · P

BIO-

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Biosafety Centrifuge

MATERIALS REFERENCE

0 MATERIALS

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · CENTRIFUGES

Biosafety Centrifuge.

SKU BIO-0328 Spec v1 Rev. 2026-07-12

DATASHEET · P

BIO-

Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING TEMPERATURE HUMIDITY PRESSURE	STORAGE TEMPERATURE HUMIDITY ORIENTATION
STERILIZATION & CLEANING AUTOCLAVE GAMMA AVOID	ETO WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-12 · Since 2026-07-12.

Cite: ConductScience BIO-0328, Spec v1, 2026-07-12. conductscience.com/lab/biosafety-centrifuge

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0328 · DATASH