

DATASHEET · LAB EQUIPMENT

Blood Transport Box.

SKU BIO-BJPX-PZ8 | BOP-BJPX-PZ12 | BIO-BJPX-PZ15 | BIO-BJPX-PZ19 | BIO-BJPX-PZ30 Spec v1 Rev. 2026-06-23



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE No
 VERIFIED Spec v1 · 2026-06-23

PRODUCT SPECIFICATIONS


FROM PUBLISHED PROD

PRODUCT TYPE	variable	MODEL	BIO-BJPX-PZ8, BOP-BJPX-PZ12, BIO-BJPX-PZ15, BIO-BJPX-PZ19, BIO-BJPX-PZ30
INSULATION_TYPE	Polyurethane foam insulation layer	SHELL_CONSTRUCTION	PP+PE injection-molded unibody
SURFACE_FINISH	Smooth, matte-textured, wear-resistant and easy-to-clean	COOLING_HEATING_SYSTEM	Microprocessor-controlled semiconductor cooling/heating
CONTROL_SYSTEM	Microprocessor PID control	TEMPERATURE_CONTROL	Manual adjustment and automatic temperature regulation
MONITORING	Real-time digital signal monitoring	POWER_SUPPLY_OPTION	AC110/220V for indoor use, DC transport
TEST_CONDITIONS	Ambient temperature 20°C, relative humidity ≤85%	AUTOMATION LEVEL	semi-automated
MATERIAL	PE, Polyurethane foam, PP	POWER/VOLTAGE	AC110/220V, DC12V
DISPLAY TYPE	Digital	RESEARCH DOMAIN	Cancer Research, Cardiovascular Biology, Clinical Diagnostics, Immunology, Pharmaceutical QC
DIMENSIONS L×W×H (MM)	42.0 × 43.6 × 38.0	WEIGHT (KG)	4.8
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONFIGURATION

SKU
BIO-BJPX-PZ8 BOP-BJPX-PZ12 BIO-BJPX-PZ15 BIO-BJPX-PZ19 BIO-BJPX-PZ30



Score.

INFO@CONDUCTSCIENCE.COM

CONDUCTSCIENCE.COM

BIO-BJPX-PZ8 | BOP-BJPX-PZ12 | BIO-BJPX-PZ15 | BIO-BJPX-F
BIO-BJPX-PZ30 · DATASHEET **1 / 3**

DATASHEET · LAB EQUIPMENT

Blood Transport Box.

SKU BIO-BJPX-PZ8 | BOP-BJPX-PZ12 | BIO-BJPX-PZ15 | BIO-BJPX-PZ19 | BIO-BJPX-PZ30 Spec v1 Rev. 2026-06-23

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Blood Transport Box

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · LAB EQUIPMENT

Blood Transport Box.

SKU BIO-BJPX-PZ8 | BOP-BJPX-PZ12 | BIO-BJPX-PZ15 | BIO-BJPX-PZ19 | BIO-BJPX-PZ30 Spec v1 Rev. 2026-06-23

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

CONTINUOUSLY VERIFIED · SPEC V1

Specifications verified against current published product data. Verified 2026-06-23 · Since 2026-06-23.

