

DATASHEET · REFRACTOMETERS

Brix Meter.

SKU CS-LH-T10 Spec v1 Rev. 2026-07-11

DATASHEET · P
CS-LH
Rev 2026



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE **No**
VERIFIED **Spec v1 · 2026-07-11**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PRODUCT

MODEL	LH-T10	SCOPE OF USE	Model.No.
BRIX	LH-T10	LH-T20	0-20%
LH-T32	0-32%	LH-T50	0-50%
LH-T62	28-62%	LH-T80	0-80%
LH-T82	45-82%	LH-T90	0-90%
LH-T20S	0-20%	LH-T32S	0-32%
AUTOMATION LEVEL	manual	BRAND	ConductScience
RESEARCH DOMAIN	Agricultural Research, Analytical Chemistry, Environmental Monitoring, Food Science, Industrial Hygiene, Materials Science, Pharmaceutical QC	DIMENSIONS L×W×H (MM)	20.0 × 10.0 × 5.0
WEIGHT (KG)	0.26	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONFIGURATION

QTY	ITEM	SKU
1	Brix Meter	CS-LH-T10



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-LH-T10 · DATASH

DATASHEET · REFRACTOMETERS

Brix Meter.

SKU CS-LH-T10 Spec v1 Rev. 2026-07-11

DATASHEET · P

CS-LH

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Brix Meter

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · REFRACTOMETERS

Brix Meter.

SKU CS-LH-T10 Spec v1 Rev. 2026-07-11

DATASHEET · P

CS-LH

Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-11 · Since 2026-07-11.

Cite: ConductScience CS-LH-T10, Spec v1, 2026-07-11. conductscience.com/lab/brix-meter

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-LH-T10 · DATASH