

DATASHEET · LAB SUPPLIES

ConductScience Filtered Pipette Tips, 200µL (1000/box) (Pack of 20).

SKU CS-FPT-200-1K Spec v1 Rev. 2026-07-09

DATASHEET · P
CS-FPT-200
 Rev 2026-07-09



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

RESEARCH DOMAIN	Analytical Chemistry, Cancer Research, Cell Biology, Clinical Diagnostics, Microbiology, Molecular Biology, Pharmaceutical QC	DIMENSIONS L×W×H (MM)	22.6 × 18.8 × 15.1
WEIGHT (KG)	4.41	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	ConductScience Filtered Pipette Tips, 200µL (1000/box) (Pack of 20)	CS-FPT-200-1K



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-FPT-200-1K · DATASH

DATASHEET · LAB SUPPLIES

ConductScience Filtered Pipette Tips, 200µL (1000/box) (Pack of 20).

SKU CS-FPT-200-1K Spec v1 Rev. 2026-07-09

DATASHEET · P
CS-FPT-200
Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

ConductScience Filtered Pipette Tips, 200µL (1000/box) (Pack of 20)

MATERIALS REFERENCE

0 MATERIALS

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · LAB SUPPLIES

ConductScience Filtered Pipette Tips, 200µL (1000/box) (Pack of 20).

SKU CS-FPT-200-1K Spec v1 Rev. 2026-07-09

DATASHEET · P
CS-FPT-200
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience CS-FPT-200-1K, Spec v1, 2026-07-09. conductscience.com/lab/conductscience-filtered-pipette-tips-200ul-1000

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-FPT-200-1K · DATASH