

DATASHEET · PORTABLE ANALYZERS

Digital Salinity Meter.

SKU CS-LH-SA10 Spec v1 Rev. 2026-07-09

DATASHEET · P
CS-LH-
Rev 2026



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE **No**
VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

MEASURING RANGE	0-10%	TEMPERATURE MEASURING RANGE	0-80â
RESEARCH DOMAIN	Analytical Chemistry, Environmental Monitoring, Food Science, Industrial Hygiene, Microbiology, Pharmaceutical QC	MODEL	LH-SA10
AUTOMATION LEVEL	manual	BRAND	ConductScience
ACCURACY	(0-1.99)% Â±0.1% 2-4.99% Â±0.2% 5-10% Â±0.5%	POWER/VOLTAGE	AAA 1.5V*2
SIZE	164*25*16mm	WEIGHT	47g
DIMENSIONS LxWxH (MM)	6.46 × 0.98 × 0.63	WEIGHT (KG)	0.1
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Digital Salinity Meter	CS-LH-SA10



Scope.

INFO@CONDUCTSCIENCE.COM

CONDUCTSCIENCE.COM

CS-LH-SA10 · DATASH

DATASHEET · PORTABLE ANALYZERS

Digital Salinity Meter.

SKU CS-LH-SA10 Spec v1 Rev. 2026-07-09

DATASHEET · P

CS-LH-

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Digital Salinity Meter

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · PORTABLE ANALYZERS

Digital Salinity Meter.

SKU CS-LH-SA10 Spec v1 Rev. 2026-07-09

DATASHEET · P

CS-LH-

Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience CS-LH-SA10, Spec v1, 2026-07-09. conductscience.com/lab/digital-salinity-meter

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-LH-SA10 · DATASH