

DATASHEET · LAB EQUIPMENT

Disintegration Tester.

SKU BIO-BBJ-2 Spec v1 Rev. 2026-07-12

DATASHEET · P
BIO-I
Rev 2026



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE No
VERIFIED **Spec v1 · 2026-07-12**

PRODUCT SPECIFICATIONS FROM PUBLISHED PRODUCT

BASKET_SYSTEM	Dual-basket system	TEMPERATURE_CONTROL	37.0 °C (pharmacopeia-compliant)
LIFTING_CYCLE_DURATION	15 minutes (default, adjustable bidirectionally)	TEMPERATURE_SENSORS	Electronic temperature sensors
SAFETY_FEATURES	Overheat alarm and automatic protection for water bath temperature	INTERFACE	High-resolution interface
AUTOMATION_LEVEL	semi-automated	DISPLAY_TYPE	Capacitive touchscreen
RESEARCH_DOMAIN	Analytical Chemistry, Food Science, Materials Science, Pharmaceutical QC	DIMENSIONS L×W×H (MM)	42.0 × 43.6 × 38.0
WEIGHT (KG)	26.46	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS BASE CONFIGURATION

QTY	ITEM	SKU
1	Disintegration Tester	BIO-BBJ-2

Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-BBJ-2 · DATASH

DATASHEET · LAB EQUIPMENT

Disintegration Tester.

SKU BIO-BBJ-2

Spec v1

Rev. 2026-07-12

DATASHEET · P

BIO-I

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Disintegration Tester

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · LAB EQUIPMENT

Disintegration Tester.

SKU BIO-BBJ-2 Spec v1 Rev. 2026-07-12

DATASHEET · P

BIO-I

Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING TEMPERATURE HUMIDITY PRESSURE	STORAGE TEMPERATURE HUMIDITY ORIENTATION
STERILIZATION & CLEANING AUTOCLAVE GAMMA AVOID	ETO WIPE

ANIMAL COMPATIBILITY	BY SPECIES	NOTES	USE & S
SPECIES	BODY WEIGHT	CHAMBER FIT	

Specifications verified against current published product data. Verified 2026-07-12 · Since 2026-07-12.

Cite: ConductScience BIO-BBJ-2, Spec v1, 2026-07-12. conductscience.com/lab/disintegration-tester

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-BBJ-2 · DATASH