

DATASHEET · CLEAN BENCHES & FUME HOODS

Dispensing Booth (Sampling & Weighing Booth).

SKU Spec v1 Rev. 2026-07-09

DATASHEET · P
Rev 2026



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE **No**
VERIFIED **Spec v1 · 2026-07-09**


PRODUCT SPECIFICATIONS

FROM PUBLISHED PRODUCT

PRODUCT TYPE	variable	MODEL	BB-BKDB-1200, BB-BKDB-1800, BKDB-2400, BIO-BSC-1100IIB
CLEAN LEVEL	ISO 5 (Class 100), Class A	HEPA FILTER EFFICIENCY	99.995% at 0.3 μm
AIR VELOCITY	0.3-0.6 m/s (adjustable)	SUPPLY AIR VOLUME	≤7,500 m³/h (adjustable)
EXHAUST AIR VOLUME	≤2,250 m³/h (adjustable)	NOISE LEVEL	≤75 dB
ILLUMINATION	≥500 lux (LED)	UV STERILIZATION	253.7 nm, with timer
POWER SUPPLY	AC 220V±10% 50/60 Hz (110V±10% 60 Hz optional)	MATERIAL	Stainless steel
WORK AREA (W×D×H)	BB-BKDB-1200: 1200×1200×2000 mm, BB-BKDB-1800: 1800×1800×2000 mm, BB-BKDB-2400: 2400×1800×2000 mm	EXTERNAL DIMENSIONS (W×D×H)	BB-BKDB-1200: 1300×1700×2400 mm, BB-BKDB-1800: 1900×2300×2400 mm, BB-BKDB-2400: 2500×2400×2400 mm
POWER CONSUMPTION	BB-BKDB-1200: 500 W, BB-BKDB-1800: 1000 W, BB-BKDB-2400: 1700 W	GROSS WEIGHT	BB-BKDB-1200: 420 kg, BB-BKDB-1800: 750 kg, BB-BKDB-2400: 1200 kg
DIMENSIONS L×W×H (MM)	42.0 × 43.6 × 38.0	WEIGHT (KG)	275.0
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONFIGURATION



QTY	ITEM	SKU
	Scope. Dispensing Booth (Sampling & Weighing Booth)	—
INFO@CONDUCTSCIENCE.COM	CONDUCTSCIENCE.COM	· DATASH

DATASHEET · CLEAN BENCHES & FUME HOODS

Dispensing Booth (Sampling & Weighing Booth).

SKU Spec v1 Rev. 2026-07-09

DATASHEET · P

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Dispensing Booth (Sampling & Weighing Booth)

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · CLEAN BENCHES & FUME HOODS

Dispensing Booth (Sampling & Weighing Booth).

SKU Spec v1 Rev. 2026-07-09

DATASHEET · P
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience , Spec v1, 2026-07-09. conductscience.com/lab/dispensing-booth-sampling-or-weighing-booth

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

· DATASH