


DATASHEET · LIQUID HANDLING

E-Pipette.

SKU BIO-0616 Spec v1 Rev. 2026-06-23

DATASHEET · P
BIO
 Rev 2026



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-06-23**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

AUTOMATION LEVEL	semi-automated	INCREMENT	Test Volume
90201010	BK-EP10	0.1 - 10ML	0.01µl
90201020	BK-EP120	5 - 120ML	0.10µl
90201030	BK-EP300	10 - 300ML	0.20µl
90201040	BK-EP1K	50 - 1000ML	1.00µl
90201050	BK-EP5K	100 - 5000ML	5.00µl
90201060	BK-EP10K	500 - 10000ML	10.00µl
BRAND	ConductScience	RESEARCH DOMAIN	Analytical Chemistry, Cell Biolog Clinical Diagnostics, Environmer Monitoring, Food Science, Microbiology, Pharmaceutical Q
ACCURACY	Precision	DIMENSIONS LxWxH (MM)	42.0 × 43.6 × 38.0
WEIGHT (KG)	4.41	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	E-Pipette	BIO-0616



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0616 · DATASH

DATASHEET · LIQUID HANDLING

E-Pipette.

SKU BIO-0616 Spec v1 Rev. 2026-06-23

DATASHEET · P
BIO.
Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
E-Pipette

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · LIQUID HANDLING

E-Pipette.

SKU BIO-0616 Spec v1 Rev. 2026-06-23

DATASHEET · P
BIO.
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-06-23 · Since 2026-06-23.

Cite: ConductScience BIO-0616, Spec v1, 2026-06-23. conductscience.com/lab/e-pipette

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0616 · DATASH