

DATASHEET · AGRICULTURE & FOOD SCIENCE

Extensograph.

SKU AGR-0047 Spec v1 Rev. 2026-07-12

DATASHEET · P

AGR-

Rev 2026

PREVIEW — FIELDS F



PRODUCT FAMILY

ANIMAL MODEL

APPLICATION

COUNTRY OF ORIGIN

MFG. STANDARD

LOT TRACEABLE

No

VERIFIED

Spec v1 · 2026-07-12

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

SAMPLE WEIGHT	Flour 300 g + 6 g salt + distilled water	KNEADING-BALL MACHINE SPEED	83 ± r/min; auto-stop after 20 revolutions
RUBBING MACHINE SPEED	15 ± 1 r/min	HOOK-TOOTHED TAPE SPEED	14.5 ± 0.5 mm/s
TENSION TEST MODE	Electronic pressure sensor	COMPUTER CONNECTION	USB
POWER SUPPLY	AC 220 V, 50 Hz	DIMENSIONS (L × W × H)	92 × 64 × 95 cm
WEIGHT	Approximately 115 kg	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONFI

QTY	ITEM	SKU
1	Extensograph	AGR-0047

Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

AGR-0047 · DATASH

DATASHEET · AGRICULTURE & FOOD SCIENCE

Extensograph.

SKU AGR-0047 Spec v1 Rev. 2026-07-12

DATASHEET · P

AGR-

Rev 2026

PREVIEW — FIELDS F

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Extensograph

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · AGRICULTURE & FOOD SCIENCE

Extensograph.

SKU AGR-0047 Spec v1 Rev. 2026-07-12

DATASHEET · P
AGR-
Rev 2026-07-12
PREVIEW — FIELDS F

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY BY SPECIES

NOTES USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-12 · Since 2026-07-12.

Cite: ConductScience AGR-0047, Spec v1, 2026-07-12. conductscience.com/lab/extensograph

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

AGR-0047 · DATASH