

DATASHEET · BENCHTOP INSTRUMENTS

Grinding Machine.

SKU BIO-0840 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO-

Rev 2026



PRODUCT FAMILY

ANIMAL MODEL

APPLICATION

COUNTRY OF ORIGIN

MFG. STANDARD

LOT TRACEABLE

No

VERIFIED

Spec v1 · 2026-07-09

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

FREQUENCY RANGE	0–70 Hz	DISCHARGING GRANULARITY	~5 µm
TIME SETTING	0 s – 99 min	NOISE LEVEL	<55 dB
POWER SUPPLY	AC 220 V, 50/60 Hz	GRINDING METHODS	Dry / Wet / Low-temperature
CAPACITY OPTIONS	24×2 ml, 48×2 ml, 96×2 ml	BRAND	ConductScience
DIMENSIONS L×W×H (MM)	51.0 × 48.0 × 35.0	WEIGHT (KG)	25.0
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Grinding Machine	BIO-0840



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0840 · DATASH

DATASHEET · BENCHTOP INSTRUMENTS

Grinding Machine.

SKU BIO-0840 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO-

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Grinding Machine

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · BENCHTOP INSTRUMENTS

Grinding Machine.

SKU BIO-0840 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO-

Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience BIO-0840, Spec v1, 2026-07-09. conductscience.com/lab/grinding-machine

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0840 · DATASH