

DATASHEET · PORTABLE ANALYZERS

Hand Hold Salinity Meter.

SKU CS-LH-2032 Spec v1 Rev. 2026-07-09

DATASHEET · P
CS-LH-
Rev 2026



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE **No**
VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS


FROM PUBLISHED PROD

MODEL	2032	MEASURING RANGE	0.1% - 3.0%
LOW POWER CONSUMPTION	Shut down automatically within 2 minutes	WATERPROOF	IP65
TEMPERATURE COMPENSATION RANGE	0~60â	BATTERY SPECIFICATION	3V(Model:2032)
WORKING CURRENT	2.5mA	BUTTON CAPACITY	210mAh
ERROR RANGE	0.01% - 1.99% Â±0.1% 2.00% - 3.00% Â±0.2%	WEIGH	43g
AUTOMATION LEVEL	manual	BRAND	ConductScience
DIMENSIONS	188x35x18mm	RESEARCH DOMAIN	Environmental Monitoring, Food Science, Materials Science
DIMENSIONS LxWxH (MM)	7.4 x 1.38 x 0.71	WEIGHT (KG)	0.09
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Hand Hold Salinity Meter	CS-LH-2032



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-LH-2032 · DATASH

DATASHEET · PORTABLE ANALYZERS

Hand Hold Salinity Meter.

SKU CS-LH-2032 Spec v1 Rev. 2026-07-09

DATASHEET · P

CS-LH-

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Hand Hold Salinity Meter

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · PORTABLE ANALYZERS

Hand Hold Salinity Meter.

SKU CS-LH-2032 Spec v1 Rev. 2026-07-09

DATASHEET · P
CS-LH-
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience CS-LH-2032, Spec v1, 2026-07-09. conductscience.com/lab/hand-hold-salinity-meter

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-LH-2032 · DATASH