

DATASHEET · SEALERS

# Handheld Blood Bag Tube Sealer.

SKU BIO-0824 Spec v1 Rev. 2026-06-24

DATASHEET · P  
**BIO-**  
Rev 2026



PRODUCT FAMILY  
ANIMAL MODEL  
APPLICATION  
COUNTRY OF ORIGIN  
MFG. STANDARD  
LOT TRACEABLE **No**  
VERIFIED **Spec v1 · 2026-06-24**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

POWER SUPPLY	AC 100–240 V, 50/60 Hz	BATTERY	24 V, 4000 mAh
SEALING TIME	1–2.5 s (automatic)	BRAND	ConductScience
RF OUTPUT FREQUENCY	40.68 MHz ± 10 kHz	SEALINGS PER CHARGE	800–1000
SUITABLE TUBE DIAMETER	2–7 mm OD, ≤1.5 mm wall (PE/PVC)	DIMENSIONS L×W×H (MM)	8.07 × 5.71 × 0.28
WEIGHT (KG)	4.41	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Handheld Blood Bag Tube Sealer	BIO-0824

---

**Scope.**

[INFO@CONDUCTSCIENCE.COM](mailto:INFO@CONDUCTSCIENCE.COM)   [CONDUCTSCIENCE.COM](http://CONDUCTSCIENCE.COM)

BIO-0824 · DATASH

DATASHEET · SEALERS

# Handheld Blood Bag Tube Sealer.

SKU BIO-0824 Spec v1 Rev. 2026-06-24

DATASHEET · P

**BIO-**

Rev 2026

## BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Handheld Blood Bag Tube Sealer

## MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.



DATASHEET · SEALERS

# Handheld Blood Bag Tube Sealer.

SKU BIO-0824 Spec v1 Rev. 2026-06-24

DATASHEET · P

**BIO-**

Rev 2026

## OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

### OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

### STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

### STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

## ANIMAL COMPATIBILITY

BY SPECIES

## NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-06-24 · Since 2026-06-24.

**Cite:** ConductScience BIO-0824, Spec v1, 2026-06-24. [conductscience.com/lab/handheld-blood-bag-tube-sealer](https://conductscience.com/lab/handheld-blood-bag-tube-sealer)

INFO@CONDUCTSCIENCE.COM    CONDUCTSCIENCE.COM

BIO-0824 · DATASH