

DATASHEET · SYRINGE PUMPS

High-Pressure Stainless Steel Syringe.

SKU RBP-0112 Spec v1 Rev. 2026-07-09

DATASHEET · P

RBP

Rev 2026

PREVIEW — FIELDS F



PRODUCT FAMILY

ANIMAL MODEL

APPLICATION

COUNTRY OF ORIGIN

MFG. STANDARD

LOT TRACEABLE **No**

VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

| | | | |
|-----------------------|--------------------|-------------|------------------------------------|
| PRODUCT TYPE | variable | VOLUME | 6 mL, 20 mL, 50 mL, 100 mL, 200 mL |
| DIMENSIONS LxWxH (MM) | 30.0 × 20.0 × 15.0 | WEIGHT (KG) | 10.0 |
| AVAILABILITY | In stock | | |

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

| QTY | ITEM | SKU |
|-----|---------------------------------------|----------|
| 1 | High-Pressure Stainless Steel Syringe | RBP-0112 |

Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

RBP-0112 · DATASH

DATASHEET · SYRINGE PUMPS

High-Pressure Stainless Steel Syringe.

SKU RBP-0112 Spec v1 Rev. 2026-07-09

DATASHEET · P

RBP

Rev 2026

PREVIEW — FIELDS F

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

High-Pressure Stainless Steel Syringe

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · SYRINGE PUMPS

High-Pressure Stainless Steel Syringe.

SKU RBP-0112 Spec v1 Rev. 2026-07-09

DATASHEET · P

RBP

Rev 2026

PREVIEW — FIELDS F

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

| SPECIES | BODY WEIGHT | CHAMBER FIT |
|---------|-------------|-------------|
|---------|-------------|-------------|

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience RBP-0112, Spec v1, 2026-07-09. conductscience.com/lab/high-pressure-stainless-steel-syringe

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

RBP-0112 · DATASH