

DATASHEET · LAB EQUIPMENT

Laboratory Test Sieve.

SKU BIO-BK-TS200 | BIO-BK-TS200X | BIO-BK-TS300 Spec v1 Rev. 2026-06-23

DATASHEET · P
BIO-BK-TS200 | BIO-
 Rev 2026



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-06-23**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

PRODUCT TYPE	variable	MODEL	BIO-BK-TS200, BIO-BK-TS200 BK-TS300
SCREEN_MESH_SIZE_RANGE	20 mesh to 2800 mesh	TIMING_RANGE	0~99min59s
SAMPLE_MATERIAL_REQUIREMENT	50~150g	AUTOMATION LEVEL	fully-automated
THROUGHPUT	200 tests/hour	ANALYSIS METHOD	End-point, Fixed-time, Rate, Turbidimetry
SAMPLE POSITIONS	37	REAGENT POSITIONS	28
SAMPLE VOLUME	2~70µl	TEMPERATURE CONTROL	37±0.2°C
CUVETTES	48 reusable	WAVELENGTHS	340, 405, 450, 510, 546, 578, 670, 700nm
EXTERNAL SIZE	625×425×460mm	RESEARCH DOMAIN	Analytical Chemistry, Cell Biology, Clinical Diagnostics, Immunology, Metabolic Research, Pharmaceutical QC
POWER/VOLTAGE	AC 220V±10% or 110V±10%, 50/60Hz, 300W	WEIGHT	36kg
DIMENSIONS L×W×H (MM)	24.61 × 18.11 × 16.73	WEIGHT (KG)	79.37
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF



QTY	ITEM	SKU
Scope.	Laboratory Test Sieve	BIO-BK-TS200 BIO-BK-TS200X BIO-BK-TS300
INFO@CONDUCTSCIENCE.COM	CONDUCTSCIENCE.COM	BIO-BK-TS200 BIO-BK-TS200X BIO-BK-TS300 · DATASH

DATASHEET · LAB EQUIPMENT

Laboratory Test Sieve.

SKU BIO-BK-TS200 | BIO-BK-TS200X | BIO-BK-TS300 Spec v1 Rev. 2026-06-23

DATASHEET · P
BIO-BK-TS200 | BIO-
Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Laboratory Test Sieve

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

INFO@CONDUCTSCIENCE.COM

CONDUCTSCIENCE.COM

BIO-BK-TS200 | BIO-BK-TS200X | BIO-BK-TS300 · DATASH

DATASHEET · LAB EQUIPMENT

Laboratory Test Sieve.

SKU BIO-BK-TS200 | BIO-BK-TS200X | BIO-BK-TS300 Spec v1 Rev. 2026-06-23

DATASHEET · P
BIO-BK-TS200 | BIO-
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. **Verified 2026-06-23 · Since 2026-06-23.**

Cite: ConductScience BIO-BK-TS200 | BIO-BK-TS200X | BIO-BK-TS300, Spec v1, 2026-06-23. conductscience.com/lab/laboratory-tes

INFO@CONDUCTSCIENCE.COM

CONDUCTSCIENCE.COM

BIO-BK-TS200 | BIO-BK-TS200X | BIO-BK-TS300 · DATASH