

DATASHEET · CLEANROOM EQUIPMENT

Laser Particle Counter.

SKU BIO-CLJ Spec v1 Rev. 2026-07-09

DATASHEET · P

BIC

Rev 2026

PREVIEW — FIELDS F



PRODUCT FAMILY

ANIMAL MODEL

APPLICATION

COUNTRY OF ORIGIN

MFG. STANDARD

LOT TRACEABLE **No**

VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS


FROM PUBLISHED PROD

PRODUCT TYPE	variable	MODEL	Standard (6-Channel, 2.83 L/min), Stainless Steel (8-Channel, 2.83 L/min), High-Flow (8-Channel, 2.83 L/min)
DISPLAY	7-inch touchscreen	LIGHT SOURCE	Semiconductor laser, >30,000 h
DATA STORAGE	4 GB SD card	AMBIENT TEMPERATURE	10-35°C
DIMENSIONS LxWxH (MM)	42.0 × 43.6 × 38.0	WEIGHT (KG)	29.98
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Laser Particle Counter	BIO-CLJ



Scope.

INFO@CONDUCTSCIENCE.COM

CONDUCTSCIENCE.COM

BIO-CLJ · DATASH

DATASHEET · CLEANROOM EQUIPMENT

Laser Particle Counter.

SKU BIO-CLJ Spec v1 Rev. 2026-07-09

DATASHEET · P

BIC

Rev 2026

PREVIEW — FIELDS F

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Laser Particle Counter

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · CLEANROOM EQUIPMENT

Laser Particle Counter.

SKU BIO-CLJ Spec v1 Rev. 2026-07-09

DATASHEET · P

BIC

Rev 2026

PREVIEW — FIELDS F

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience BIO-CLJ, Spec v1, 2026-07-09. conductscience.com/lab/laser-particle-counter

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-CLJ · DATASH