

DATASHEET · SEALERS

Medical Sealer.

SKU BIO-0821 Spec v1 Rev. 2026-07-05

DATASHEET · P
BIO.
 Rev 2026-07-05
 PREVIEW — FIELDS F



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-07-05**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

MODEL	MF-FK100	SEALING SPEED	10m/min
SEALING MARGIN	0~35mm, adjustable	SEALING WIDTH	12mm
WORKING TEMPERATURE	160-220℃	TEMP. CONTROL PRECISION	≤1%
COUNTING RANGE	1~9999	POWER	500w
POWER SUPPLY	220V 50Hz	EXTERNAL SIZE	482*242*157mm
NET WEIGHT	11kg	PACKING SIZE	575*350*270mm
GROSS WEIGHT	12kg	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Medical Sealer	BIO-0821



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0821 · DATASH

DATASHEET · SEALERS

Medical Sealer.

SKU BIO-0821 Spec v1 Rev. 2026-07-05

DATASHEET · P

BIO.

Rev 2026

PREVIEW — FIELDS F

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Medical Sealer

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · SEALERS

Medical Sealer.

SKU BIO-0821 Spec v1 Rev. 2026-07-05

DATASHEET · P

BIO.

Rev 2026

PREVIEW — FIELDS F

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-05 · Since 2026-07-05.

Cite: ConductScience BIO-0821, Spec v1, 2026-07-05. conductscience.com/lab/medical-sealer

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0821 · DATASH