


DATASHEET · LAB EQUIPMENT

Multi-Color Tissue Cassette Laser Printer.

SKU CS-958310 Spec v1 Rev. 2026-07-09

DATASHEET · P
CS-958310
 Rev 2026-07-09



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PRODUCT

PA_EQUIPMENT - TYPE	4959	PA_AUTOMATION - LEVEL	fully - automated
PA_PATHOLOGY - APPLICATION	4968	PA_TISSUE - COMPATIBILITY	4984
DISPLAY_SIZE	8 inch touch screen	PRINTING_SPEED	2.5s/box (fastest)
TRAY_CAPACITY	100 embedding boxes	CASSETTE_TUBE_SLOTS	6 slots
LASER_HEAD_LIFESPAN	more than 5 years (8 hours daily use)	SCANNER_TYPE	built-in/external scanner support
VOICE_SYSTEM	intelligent voice wake up and interactive voice recognition	COLOR_RECOGNITION	RGB color recognition system
BOX_COMPATIBILITY	35 degree and 45 degree angle boxes	BOX_TYPES_SUPPORTED	no cover box, cover box, split cassette
OPERATING_SYSTEMS	PC, pathology system, and stand-alone	AIR_PURIFICATION	built-in air purification system
FILTER_SYSTEM	built-in filter	CAPACITY	450-600 embedding cassettes
ACCURACY	high print resolution	DISPLAY TYPE	LED
RESEARCH DOMAIN	Cancer Research, Clinical Diagnostics, Developmental Biology, Histopathology, Neurodegeneration, Pharmaceutical QC	DIMENSIONS LxWxH (MM)	65.0 × 36.0 × 27.0
WEIGHT (KG)	6.06	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONFIGURATION

QTY	ITEM	SKU
Scope.	Multi-Color Tissue Cassette Laser Printer	CS-958310
INFO@CONDUCTSCIENCE.COM	CONDUCTSCIENCE.COM	CS-958310 · DATASH

DATASHEET · LAB EQUIPMENT

Multi-Color Tissue Cassette Laser Printer.

SKU CS-958310 Spec v1 Rev. 2026-07-09

DATASHEET · P
CS-95
Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Multi-Color Tissue Cassette Laser Printer

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · LAB EQUIPMENT

Multi-Color Tissue Cassette Laser Printer.

SKU CS-958310 Spec v1 Rev. 2026-07-09

DATASHEET · P
CS-95
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience CS-958310, Spec v1, 2026-07-09. conductscience.com/lab/multi-color-tissue-cassette-laser-printer

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-958310 · DATASH