

DATASHEET · GROSSING & DISSECTION

Multi-Function Animal Surgery Table.

SKU CS-SURG-TABLE-DWA65 Spec v1 Rev. 2026-08-16

DATASHEET · P
CS-SURG-TABLE-D
Rev 20



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE No
VERIFIED Spec v1 · 2026-08-16

PRODUCT SPECIFICATIONS FROM PUBLISHED PROI

WORK SURFACE	1400 × 650 mm · heated V-shaped stainless steel · front drain	HEIGHT RANGE	750-850 mm · hydraulic adjustme
LEFT-RIGHT TILT	±15°	FRONT-BACK TILT	±30°
MOBILITY	Castered base · stabilize before use	OPTIONAL SUPPORT	Microscope and surgical-instrum
CONFIGURATION REVIEW	Positioning, warming, anesthesia, monitoring, drainage, and cleaning confirmed in quote	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS BASE CONF

QTY	ITEM	SKU
1	Multi-Function Animal Surgery Table	CS-SURG-TABLE-DWA65

Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-SURG-TABLE-DWA65 · DATASH

DATASHEET · GROSSING & DISSECTION

Multi-Function Animal Surgery Table.

SKU CS-SURG-TABLE-DWA65 Spec v1 Rev. 2026-08-16

DATASHEET · P
CS-SURG-TABLE-DI
Rev 20

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Multi-Function Animal Surgery Table

MATERIALS REFERENCE 0 MATERIALS

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · GROSSING & DISSECTION

Multi-Function Animal Surgery Table.

SKU CS-SURG-TABLE-DWA65 Spec v1 Rev. 2026-08-16

DATASHEET · P

CS-SURG-TABLE-DI

Rev 20

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING TEMPERATURE HUMIDITY PRESSURE	STORAGE TEMPERATURE HUMIDITY ORIENTATION
STERILIZATION & CLEANING AUTOCLAVE GAMMA AVOID ETO WIPE	

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-08-16 · Since 2026-08-16.

Cite: ConductScience CS-SURG-TABLE-DWA65, Spec v1, 2026-08-16. conductscience.com/lab/multi-function-animal-surgery-table