


DATASHEET · BEHAVIORAL MAZES

Neuwirth Hole Board Test.

SKU CS-958353 Spec v1 Rev. 2026-07-04

DATASHEET · P
CS-958353
 Rev 2026-07-04



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-07-04**

PRODUCT SPECIFICATIONS


FROM PUBLISHED PROD

PRODUCT TYPE	variable	NUMBER_OF_HOLES	sixteen
HOLE_SIZE_STANDARD	1 inch	HOLE_SIZE_YOUNG_ANIMAL	1/4 inch
HOLE_SPACING	equally apart throughout apparatus floor	AGE_COMPATIBILITY_SMALL_ANIMALS	mice or rats postnatal day 22 to 28
AGE_COMPATIBILITY_LARGE_ANIMALS	rats postnatal day 55 and older	ILLUMINATION_REQUIREMENT	300 Lux
PETRI_DISH_PLACEMENT	beneath each corner of apparatus	TEST_DURATION	two days
BEHAVIORAL_MEASUREMENTS	freezing behaviors, latency to first head poke, frequency of head pokes	BEHAVIORAL_CONSTRUCT	Spatial discrimination, Exploratory behavior, Spatial memory, Anxiety behavior, Novelty exploration, Cognitive flexibility
AUTOMATION_LEVEL	manual	RESEARCH_DOMAIN	Anxiety and Depression, Behavioral Pharmacology, Developmental and Learning and Memory, Neurodegeneration, Neuroscience
SPECIES	Mouse, Rat	COMPATIBLE_TRACKING_SOFTWARE	ConductVision
DIMENSIONS LxWxH (MM)	65.0 × 36.0 × 27.0	WEIGHT (KG)	6.06
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
	Neuwirth Hole Board Test	CS-958353



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-958353 · DATASH

DATASHEET · BEHAVIORAL MAZES

Neuwirth Hole Board Test.

SKU CS-958353 Spec v1 Rev. 2026-07-04

DATASHEET · P
CS-95
Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Neuwirth Hole Board Test

MATERIALS REFERENCE

0 MATERIALS

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · BEHAVIORAL MAZES

Neuwirth Hole Board Test.

SKU CS-958353 Spec v1 Rev. 2026-07-04

DATASHEET · P
CS-95
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-04 · Since 2026-07-04.

Cite: ConductScience CS-958353, Spec v1, 2026-07-04. conductscience.com/lab/neuwirth-hole-board-test

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-958353 · DATASH