

DATASHEET · INDUSTRIAL SENSORS

Online Conductivity Controller.

SKU CS-LH-IND011 Spec v1 Rev. 2026-06-24

DATASHEET · P
CS-LH-IN
Rev 2026



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE **No**
VERIFIED **Spec v1 · 2026-06-24**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

CR300	EC test range	0.01 ELECTRODE	0-20.00 uS/cm-1
0.1 ELECTRODE	0-200.0 uS/cm-1	1.0 ELECTRODE	0-2000 uS/cm-1
10.0 ELECTRODE	0-20.00 uS/cm-1	AUTOMATION LEVEL	semi-automated
BRAND	ConductScience	RESEARCH DOMAIN	Analytical Chemistry, Environmental Monitoring, Food Science, Industrial Hygiene, Pharmaceutical QC
DIMENSIONS LxWxH (MM)	15.0 x 5.0 x 5.0	WEIGHT (KG)	0.26
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Online Conductivity Controller	CS-LH-IND011



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-LH-IND011 · DATASH

DATASHEET · INDUSTRIAL SENSORS

Online Conductivity Controller.

SKU CS-LH-IND011 Spec v1 Rev. 2026-06-24

DATASHEET · P

CS-LH-IN

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Online Conductivity Controller

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · INDUSTRIAL SENSORS

Online Conductivity Controller.

SKU CS-LH-IND011 Spec v1 Rev. 2026-06-24

DATASHEET · P

CS-LH-IN

Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-06-24 · Since 2026-06-24.

Cite: ConductScience CS-LH-IND011, Spec v1, 2026-06-24. conductscience.com/lab/online-conductivity-controller

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-LH-IND011 · DATASH