

DATASHEET · PH METERS

Pocket pH/°C/°F Tester.

SKU BIO-0373 Spec v1 Rev. 2026-07-09

DATASHEET · P
BIO
 Rev 2026



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

AUTOMATION LEVEL	manual	PH-20S/F/L	PH-30S/F/L
PH	Range	0.0~14.0PH	-1.00~15.00pH
TEMPERATURE RANGE	Range	±0.05PH	±0.01pH
CALIBRATION POINTS	2 points	PH BUFFER OPTIONS	USA(pH4.01/7.00/10.01)
/	1 point, reading ±10°C	0~60°C/32~140°F	0~100°C/32~212°F
1°C	0.1°C/0.1°F	±1°C	±1°C/±1.8°F
OFFSET CALIBRATION	/	BRAND	ConductScience
RESEARCH DOMAIN	Analytical Chemistry, Environmental Monitoring, Food Science, Industrial Hygiene, Microbiology, Pharmaceutical QC	ACCURACY	/
DIMENSIONS L×W×H (MM)	25.7 × 26.7 × 23.3	WEIGHT (KG)	1.0
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Pocket pH/°C/°F Tester	BIO-0373

Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0373 · DATASH

DATASHEET · PH METERS

Pocket pH/°C/°F Tester.

SKU BIO-0373 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Pocket pH/°C/°F Tester

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · PH METERS

Pocket pH/°C/°F Tester.

SKU BIO-0373 Spec v1 Rev. 2026-07-09

DATASHEET · P
BIO
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience BIO-0373, Spec v1, 2026-07-09. conductscience.com/lab/pocket-ph-c-f-tester

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0373 · DATASH