

DATASHEET · STANDARD CAGES & ENCLOSURES

Polysulfone Mouse Breeding Cage (Autoclavable).

SKU PTY-0011 Spec v1 Rev. 2026-07-09

DATASHEET · P
PTY
Rev 2026



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE **No**
VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

AUTOCLAVE RATING	121C, repeated cycles	LID MATERIAL	Stainless Steel wire
AUTOMATION LEVEL	manual	BRAND	ConductScience
MATERIAL	Polysulfone (PSU) — amber transparent	RESEARCH DOMAIN	Behavioral Pharmacology, Canc Research, Developmental Biolog Immunology, Neuroscience, Tox
SPECIES	Mouse	DIMENSIONS L×W×H (MM)	38.5 × 18.9 × 48.5
WEIGHT (KG)	0.9	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Polysulfone Mouse Breeding Cage (Autoclavable)	PTY-0011

Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

PTY-0011 · DATASH

DATASHEET · STANDARD CAGES & ENCLOSURES

Polysulfone Mouse Breeding Cage (Autoclavable).

SKU PTY-0011 Spec v1 Rev. 2026-07-09

DATASHEET · P

PTY

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Polysulfone Mouse Breeding Cage (Autoclavable)

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · STANDARD CAGES & ENCLOSURES

Polysulfone Mouse Breeding Cage (Autoclavable).

SKU PTY-0011 Spec v1 Rev. 2026-07-09

DATASHEET · P
PTY
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID █

ETO

WIPE █

ANIMAL COMPATIBILITY BY SPECIES

NOTES USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience PTY-0011, Spec v1, 2026-07-09. conductscience.com/lab/polysulfone-mouse-breeding-cage-autoclavable

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

PTY-0011 · DATASH