

DATASHEET · AUTOCLAVES

Portable Autoclave.

SKU BIO-0144 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO.

Rev 2026



PRODUCT FAMILY

ANIMAL MODEL

APPLICATION

COUNTRY OF ORIGIN

MFG. STANDARD

LOT TRACEABLE

No

VERIFIED

Spec v1 · 2026-07-09

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

AUTOMATION LEVEL	semi-automated	BKM-P18II	BKM-P18III
BKM-24I	BKM-P24II	TYPE	Dual-use Type
ANTI-DRY TYPE	Timing Control Type	DUAL-USE TYPE	Anti-dry Type
MAX WORKING PRESSURE	0.165MPa	MAX WORKING TEMP.	129
RATED WORKING PRESSURE	0.14MPa	RATED WORKING TEMP.	126
TEMP. SETTING	Fixed 126	105~127	Fixed 126
HEATING METHOD	Coal or electricity	ELECTRICITY	Coal or electricity
BRAND	ConductScience	RESEARCH DOMAIN	Clinical Diagnostics, Environmer Monitoring, Food Science, Mater Science, Microbiology, Pharmac QC
CAPACITY	18L	DIMENSIONS L×W×H (MM)	45.0 × 38.5 × 38.5
WEIGHT (KG)	15.5	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Portable Autoclave	BIO-0144



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0144 · DATASH

DATASHEET · AUTOCLAVES

Portable Autoclave.

SKU BIO-0144 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO.

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Portable Autoclave

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · AUTOCLAVES

Portable Autoclave.

SKU BIO-0144 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO.

Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience BIO-0144, Spec v1, 2026-07-09. conductscience.com/lab/portable-autoclave

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0144 · DATASH