

DATASHEET · BENCHTOP INSTRUMENTS

Refrigerated and Heating Circulator.

SKU BIO-0837 Spec v1 Rev. 2026-07-09

DATASHEET · P
BIO.
Rev 2026



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

POWER SUPPLY	AC 220 V, 50/60 Hz	REFRIGERANT	R134a
BRAND	ConductScience	TEMPERATURE RANGE	-10 to +100 °C / -20 to +100 °C
CONTROL ACCURACY	±0.1 °C	BATH VOLUME OPTIONS	5 L, 10 L
CIRCULATION PUMP POWER	40 W	DIMENSIONS L×W×H (MM)	76.0 × 36.0 × 52.0
WEIGHT (KG)	38.0	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Refrigerated and Heating Circulator	BIO-0837

Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0837 · DATASH

DATASHEET · BENCHTOP INSTRUMENTS

Refrigerated and Heating Circulator.

SKU BIO-0837 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO.

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Refrigerated and Heating Circulator

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · BENCHTOP INSTRUMENTS

Refrigerated and Heating Circulator.

SKU BIO-0837 Spec v1 Rev. 2026-07-09

DATASHEET · P
BIO.
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience BIO-0837, Spec v1, 2026-07-09. conductscience.com/lab/refrigerated-and-heating-circulator

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0837 · DATASH