

DATASHEET · AGRICULTURE & FOOD SCIENCE

Sap Flow Meter.

SKU AGR-0034 Spec v1 Rev. 2026-07-12

DATASHEET · P
AGR-
Rev 2026-07-12
PREVIEW — FIELDS F



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE No
VERIFIED **Spec v1 · 2026-07-12**

PRODUCT SPECIFICATIONS FROM PUBLISHED PROD

MEASUREMENT METHOD	Heat dissipation probe method (constant heat flow sensor method)	MEASUREMENT PARAMETER	Instantaneous liquid flow densit
NUMBER OF PROBES	2	PROBE LENGTH	33 mm
PROBE REUSABILITY	Probes are reusable across deployments	SAMPLING TIME INTERVAL	Adjustable, 1–99 minutes
DISPLAY RESOLUTION	320 × 160 LCD	STORAGE CAPACITY	2 GB
POWER SUPPLY	8.4 V rechargeable lithium battery; solar power supply optionally available	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS BASE CONFI

QTY	ITEM	SKU
1	Sap Flow Meter	AGR-0034

Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

AGR-0034 · DATASH

DATASHEET · AGRICULTURE & FOOD SCIENCE

Sap Flow Meter.

SKU AGR-0034 Spec v1 Rev. 2026-07-12

DATASHEET · P

AGR-

Rev 2026

PREVIEW — FIELDS F

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Sap Flow Meter

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · AGRICULTURE & FOOD SCIENCE

Sap Flow Meter.

SKU AGR-0034

Spec v1

Rev. 2026-07-12

DATASHEET · P

AGR-

Rev 2026

PREVIEW — FIELDS F

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES

BODY WEIGHT

CHAMBER FIT

Specifications verified against current published product data. Verified 2026-07-12 · Since 2026-07-12.

Cite: ConductScience AGR-0034, Spec v1, 2026-07-12. conductscience.com/lab/sap-flow-meter

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

AGR-0034 · DATASH