

DATASHEET · ANALYTICAL INSTRUMENTS

Saybolt Viscometer.

SKU BIO-0437 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO.

Rev 2026



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

AUTOMATION LEVEL	semi-automated	WORKING MODE	Double lines, parallel test
RECEIVING FLASK	(60±0.05)ml	BATH POWER	1000W
BATH TEMP.	R.T.~240	TIMING. RANGE	0~999.9s
TIMING ACCURACY	±0.1s	TEMP. ACCURACY	±0.1
AMBIENT TEMP.	≤35	RELATIVE HUMIDITY	≤85%
EXTERNAL SIZE(W*D*H)	360*360*790mm	PACKAGE SIZE(W*D*H)	470*400*850mm
BRAND	ConductScience	RESEARCH DOMAIN	Analytical Chemistry, Environme Monitoring, Food Science, Indus Hygiene, Materials Science
POWER/VOLTAGE	AC220V, 50Hz	WEIGHT	40kg
DIMENSIONS L×W×H (MM)	79.0 × 36.0 × 36.0	WEIGHT (KG)	35.0
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Saybolt Viscometer	BIO-0437



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0437 · DATASH

DATASHEET · ANALYTICAL INSTRUMENTS

Saybolt Viscometer.

SKU BIO-0437 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO.

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Saybolt Viscometer

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · ANALYTICAL INSTRUMENTS

Saybolt Viscometer.

SKU BIO-0437 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO.

Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience BIO-0437, Spec v1, 2026-07-09. conductscience.com/lab/saybolt-viscometer

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0437 · DATASH