

DATASHEET · LEARNING & MEMORY TESTS

Sound Attenuating Enclosure.

SKU ME-OC-SAC Spec v1 Rev. 2026-07-09

DATASHEET · P

ME-OC

Rev 2026



PRODUCT FAMILY

ANIMAL MODEL

APPLICATION

COUNTRY OF ORIGIN

MFG. STANDARD

LOT TRACEABLE **No**

VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

EXTERIOR_DIMENSIONS 55 cm x 42 cm x 55 cm (W x D x H)

SOUND_ATTENUATION -40 dB (at 100 dB, 1000 Hz, fro


DIMENSIONS LxWxH 42.0 x 55.0 x 55.0 (MM)

AVAILABILITY **In stock**

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

| QTY | ITEM | SKU |
|-----|-----------------------------|-----------|
| 1 | Sound Attenuating Enclosure | ME-OC-SAC |



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

ME-OC-SAC · DATASH

DATASHEET · LEARNING & MEMORY TESTS

Sound Attenuating Enclosure.

SKU ME-OC-SAC Spec v1 Rev. 2026-07-09

DATASHEET · P

ME-OC

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

| ITEM |
|-----------------------------|
| Sound Attenuating Enclosure |

MATERIALS REFERENCE

0 MATERIAL

| CODE | DESCRIPTION | PROPERTIES | USED IN |
|------|-------------|------------|---------|
|------|-------------|------------|---------|

Cross-reference.

DATASHEET · LEARNING & MEMORY TESTS

Sound Attenuating Enclosure.

SKU ME-OC-SAC Spec v1 Rev. 2026-07-09

DATASHEET · P
ME-OC
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

| SPECIES | BODY WEIGHT | CHAMBER FIT |
|---------|-------------|-------------|
|---------|-------------|-------------|

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience ME-OC-SAC, Spec v1, 2026-07-09. conductscience.com/lab/sound-attenuating-enclosure

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

ME-OC-SAC · DATASH