

DATASHEET · LAB EQUIPMENT

# Tablet Friability Tester.

SKU Spec v1 Rev. 2026-07-11

DATASHEET · P  
Rev 2026



PRODUCT FAMILY  
ANIMAL MODEL  
APPLICATION  
COUNTRY OF ORIGIN  
MFG. STANDARD  
LOT TRACEABLE **No**  
VERIFIED **Spec v1 · 2026-07-11**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

PRODUCT TYPE	variable	MODEL	TFT-1, TFT-2, TFT-3, TFT-4
CYLINDER RADIUS	φ286 mm	CYLINDER DEPTH	39 mm
TABLET FALL HEIGHT	156 mm	POWER SUPPLY	AC 110/220 V ±10%, 50/60 Hz
DRUM MATERIAL	Colorless transparent acrylic	DIMENSIONS L×W×H (MM)	42.0 × 43.6 × 38.0
WEIGHT (KG)	44.09	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Tablet Friability Tester	—



---

**Scope.**

[INFO@CONDUCTSCIENCE.COM](mailto:INFO@CONDUCTSCIENCE.COM)   [CONDUCTSCIENCE.COM](https://CONDUCTSCIENCE.COM)

· [DATASH](#)

DATASHEET · LAB EQUIPMENT

# Tablet Friability Tester.

SKU Spec v1 Rev. 2026-07-11

DATASHEET · P  
Rev 2026

## BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Tablet Friability Tester

## MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.



DATASHEET · LAB EQUIPMENT

# Tablet Friability Tester.

SKU Spec v1 Rev. 2026-07-11

DATASHEET · P  
Rev 2026

## OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

### OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

### STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

### STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

## ANIMAL COMPATIBILITY

BY SPECIES

## NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-11 · Since 2026-07-11.

**Cite:** ConductScience , Spec v1, 2026-07-11. [conductscience.com/lab/tablet-friability-tester](https://conductscience.com/lab/tablet-friability-tester)