

DATASHEET · PATHOLOGY & HISTOLOGY

Tissue Flotation Water Baths.

SKU RF-RD-80 / RF-RD-2018 Spec v1 Rev. 2026-07-09

DATASHEET · P
RF-RD-80 / RF-RD-
 Rev 2026




PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

PRODUCT TYPE	variable	PA_EQUIPMENT - TYPE	4955
PA_AUTOMATION - LEVEL	semi-automated	PA_PATHOLOGY - APPLICATION	4968
PA_TEMPERATURE - RANGE - PATH	5017	PA_TISSUE - COMPATIBILITY	4983
FREQUENCY	50Hz ±1Hz	FLOTATION_BATH_TANK	210mm (L) x 170mm (W) x 55mm (H)
OVEN_CHAMBER_DIMENSIONS	240mm (L) x 152mm (W) x 110mm (H)	DRYER_THROUGHPUT	60 tissue slices simultaneously
OVEN_CAPACITY	6 slide racks for 180 standard slides	DRYER_SURFACE	Color wear-resistant tabletop
DRYER_DESIGN	Multi-layer bevel design	MODEL	Tissue Bath, Bath & Slide Dryer
PRODUCT SIZE	327mm*340mm*166mm(L*W*H)	TEMP RANGE	0-99°C precise 1°C
DIMENSIONS OF BATH BOWL	210mm*168mm*55mm(L*W*H)	FUNCTION	Digital light under glass tray,eas observe specimen
VOLTAGE AND FREQUENCY	AC220V±10% 50Hz±1Hz	POWER/VOLTAGE	600 VA, AC 220V ±10%
TEMPERATURE RANGE	0°C to 75°C or 0°C to 99°C	CAPACITY	2.0 Liters
DIMENSIONS	570mm x 430mm x 180mm	RESEARCH DOMAIN	Cancer Research, Clinical Diagn Developmental Biology, Histopathology, Neuroscience, Toxicology
DIMENSIONS LxWxH (MM)	34.0 × 25.0 × 20.0	WEIGHT (KG)	6.61
AVAILABILITY	In stock		



QTY	ITEM	SKU
INFO@CONDUCTSCIENCE.COM	CONDUCTSCIENCE.COM	RF-RD-80 / RF-RD-2018 · DATASH

DATASHEET · PATHOLOGY & HISTOLOGY

Tissue Flotation Water Baths.

SKU RF-RD-80 / RF-RD-2018 Spec v1 Rev. 2026-07-09

DATASHEET · P
RF-RD-80 / RF-RD-
Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Tissue Flotation Water Baths

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · PATHOLOGY & HISTOLOGY

Tissue Flotation Water Baths.

SKU RF-RD-80 / RF-RD-2018 Spec v1 Rev. 2026-07-09

DATASHEET · P
RF-RD-80 / RF-RD-
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience RF-RD-80 / RF-RD-2018, Spec v1, 2026-07-09. conductscience.com/lab/tissue-flotation-water-baths

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

RF-RD-80 / RF-RD-2018 · DATASH