

DATASHEET · LIQUID HANDLING

TopPette-Mechanical Pipettes.

SKU BIO-0631 Spec v1 Rev. 2026-07-09

DATASHEET · P
BIO
 Rev 2026



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

AUTOMATION LEVEL	manual	MICROPETTE PLUS SERIES CAT.NO.	Volume Range
7042303004	0.5-10µl	0.1ML	10µl
1.50%	0.15µl	5ML	3.00%
0.125ML	2.50%	1ML	4.00%
0.04ML	4.00%	7042303006	5-50µl
0.5ML	0.8%	1.00%	0.5µl
0.50%	0.25µl	25ML	1.50%
0.375ML	1.00%	BRAND	ConductScience
RESEARCH DOMAIN	Analytical Chemistry, Cell Biology, Clinical Diagnostics, Food Science, Immunology, Materials Science, Microbiology, Pharmaceutical QC	DIMENSIONS L×W×H (MM)	42.0 × 43.6 × 38.0
WEIGHT (KG)	4.41	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	TopPette-Mechanical Pipettes	BIO-0631

Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0631 · DATASH

DATASHEET · LIQUID HANDLING

TopPette-Mechanical Pipettes.

SKU BIO-0631 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

TopPette-Mechanical Pipettes

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · LIQUID HANDLING

TopPette-Mechanical Pipettes.

SKU BIO-0631 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO

Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience BIO-0631, Spec v1, 2026-07-09. conductscience.com/lab/toppette-mechanical-pipettes

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0631 · DATASH