

DATASHEET · LABORATORY INCUBATORS

# Touch Screen Constant-Temperature Incubator H54BK(D/G) H88BK(D/G) H160BK(D/G) H200BK(G) H270BK(G).

SKU BIO-0189 Spec v1 Rev. 2026-07-09

DATASHEET · P  
**BIO**  
Rev 2024



PRODUCT FAMILY  
ANIMAL MODEL  
APPLICATION  
COUNTRY OF ORIGIN  
MFG. STANDARD  
LOT TRACEABLE **No**  
VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

AUTOMATION LEVEL	semi-automated	BJPX-H88BK(D/G)	BJPX-H160BK(D/G)
BJPX-H200BK(G)	BJPX-H270BK(D/G)	88L	160L
200L	270L	TEMPERATURE SENSOR	PT100
TEMPERATURE FLUCTUATION	±1% (@37°C)	TEMPERATURE UNIFORMITY	±2% (@37°C)
TEMPERATURE PRECISION	0.1%	TIMING RANGE	0~999h or continuous
BRAND	ConductScience	RESEARCH DOMAIN	Analytical Chemistry, Cell Biology, Food Science, Materials Science, Microbiology, Pharmaceutical Q
CAPACITY	54L	TEMPERATURE RANGE	RT+5~85°C
DISPLAY TYPE	LCD touch screen	POWER/VOLTAGE	345W
DIMENSIONS L×W×H (MM)	39.5 × 39.5 × 36.4	WEIGHT (KG)	26.59
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SI
	Constant-Temperature Incubator H54BK(D/G) H88BK(D/G) H160BK(D/G) H200BK(G) H270BK(G)	BI



---

**Scope.**

[INFO@CONDUCTSCIENCE.COM](mailto:INFO@CONDUCTSCIENCE.COM)   [CONDUCTSCIENCE.COM](http://CONDUCTSCIENCE.COM)

BIO-0189 · DATASH

DATASHEET · LABORATORY INCUBATORS

# Touch Screen Constant-Temperature Incubator H54BK(D/G) H88BK(D/G) H160BK(D/G) H200BK(G) H270BK(G).

SKU BIO-0189 Spec v1 Rev. 2026-07-09

DATASHEET · P  
**BIO**  
Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Touch Screen Constant - Temperature Incubator H54BK(D/G) H88BK(D/G) H160BK(D/G) H200BK(G) H270BK(G)

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.



DATASHEET · LABORATORY INCUBATORS

# Touch Screen Constant-Temperature Incubator H54BK(D/G) H88BK(D/G) H160BK(D/G) H200BK(G) H270BK(G).

SKU BIO-0189 Spec v1 Rev. 2026-07-09

DATASHEET · P  
**BIO**  
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

**OPERATING**

TEMPERATURE

HUMIDITY

PRESSURE

**STORAGE**

TEMPERATURE

HUMIDITY

ORIENTATION

**STERILIZATION & CLEANING**

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

**CONTINUOUSLY VERIFIED · SPEC V1**  
 Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

**Cite:** ConductScience BIO-0189, Spec v1, 2026-07-09. [conductscience.com/lab/touch-screen-constant-temperature-incubator-bjpx-lid-g](https://conductscience.com/lab/touch-screen-constant-temperature-incubator-bjpx-lid-g)

INFO@CONDUCTSCIENCE.COM    CONDUCTSCIENCE.COM

BIO-0189 · DATASH