


DATASHEET · ANESTHESIA & VENTILATION

Two-Channel Flowmeter (Range 0.1-1 L / min).

SKU RWD-R510-09 Spec v1 Rev. 2026-06-23

DATASHEET · P
RWD-R51
 Rev 2026



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-06-23**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

AUTOMATION LEVEL	manual	ANESTHETIC AGENT	Nitrous Oxide, Oxygen
BRAND	RWD	DEVICE TYPE	Flowmeter
RATE	0.1-1L/min, 0.1-4L/min	RESEARCH DOMAIN	Behavioral Pharmacology, Cardiovascular, Metabolic Rese: Neuroscience, Pain Research, Toxicology
SPECIES	Mouse, Rat	DIMENSIONS LxWxH (MM)	34.0 × 39.0 × 33.0
WEIGHT (KG)	2.2	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Two-Channel Flowmeter (Range 0.1-1 L / min)	RWD-R510-09



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

RWD-R510-09 · DATASH

DATASHEET · ANESTHESIA & VENTILATION

Two-Channel Flowmeter (Range 0.1-1 L / min).

SKU RWD-R510-09 Spec v1 Rev. 2026-06-23

DATASHEET · P

RWD-R51

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Two-Channel Flowmeter (Range 0.1-1 L / min)

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · ANESTHESIA & VENTILATION

Two-Channel Flowmeter (Range 0.1-1 L / min).

SKU RWD-R510-09 Spec v1 Rev. 2026-06-23

DATASHEET · P

RWD-R51

Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COM

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-06-23 · Since 2026-06-23.

Cite: ConductScience RWD-R510-09, Spec v1, 2026-06-23. conductscience.com/lab/two-channel-flowmeter-range-0-1-1-l-min

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

RWD-R510-09 · DATASH