


DATASHEET · CLEANERS

Ultrasonic Cleaner Double Adjustable Frequencies Type.

SKU BIO-0705 Spec v1 Rev. 2026-07-09

DATASHEET · P
BIO-
Rev 2026



PRODUCT FAMILY
ANIMAL MODEL
APPLICATION
COUNTRY OF ORIGIN
MFG. STANDARD
LOT TRACEABLE **No**
VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

AUTOMATION LEVEL	semi-automated	ADJUSTABLE ULTRASONIC FREQUENCY(KHZ)	Time Range/Heating Temp
UC-30SDG	13	45	80
1~480MIN/0~80°C	300	400	300*150*150
840*670*730	73	UC-50SD	27
500	800	500*300*180	1100*690*800
UC-60ST	27	600	800
UC-70ST	27	700	800
UC-20SD	6	BRAND	ConductScience
RESEARCH DOMAIN	Analytical Chemistry, Clinical Diagnostics, Environmental Monitoring, Materials Science, Microbiology, Pharmaceutical QC	DIMENSIONS L×W×H (MM)	19.69 × 11.81 × 7.09
WEIGHT (KG)	12.63	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Ultrasonic Cleaner Double Adjustable Frequencies Type	BIO-0705



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0705 · DATASH

DATASHEET · CLEANERS

Ultrasonic Cleaner Double Adjustable Frequencies Type.

SKU BIO-0705 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO-

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Ultrasonic Cleaner Double Adjustable Frequencies Type

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · CLEANERS

Ultrasonic Cleaner Double Adjustable Frequencies Type.

SKU BIO-0705 Spec v1 Rev. 2026-07-09

DATASHEET · P
BIO-
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID █

ETO

WIPE █

ANIMAL COMPATIBILITY BY SPECIES

NOTES USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience BIO-0705, Spec v1, 2026-07-09. conductscience.com/lab/ultrasonic-cleaner-double-adjustable-frequencies-type

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0705 · DATASH