

DATASHEET · CLEANERS

Ultrasonic Cleaner UC-AD Series.

SKU BIO-0702 Spec v1 Rev. 2026-07-09

DATASHEET · P
BIO-
 Rev 2026



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

AUTOMATION LEVEL	semi-automated	UC-24AD	UC-36AD
UC-48AD	UC-60AD	CAPACITY(L)	6.5
10	15	22.5	30
ULTRASONIC FREQUENCY	Single frequency, 40khz	ULTRASONIC POWER	180W
240W	360W	480W	600W
HEATING POWER	500W	TANK SIZE(MM)	300*150*150
300*240*150	330*300*150	500*300*150	500*300*200
BRAND	ConductScience	RESEARCH DOMAIN	Analytical Chemistry, Cell Biolog Environmental Monitoring, Mate Science, Microbiology, Pharmac QC
POWER/VOLTAGE	220V, 50Hz	DIMENSIONS LxWxH (MM)	11.81 × 5.91 × 5.91
WEIGHT (KG)	21.03	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Ultrasonic Cleaner UC-AD Series	BIO-0702



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0702 · DATASH

DATASHEET · CLEANERS

Ultrasonic Cleaner UC-AD Series.

SKU BIO-0702 Spec v1 Rev. 2026-07-09

DATASHEET · P

BIO-

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM

Ultrasonic Cleaner UC-AD Series

MATERIALS REFERENCE

0 MATERIAL

CODE

DESCRIPTION

PROPERTIES

USED IN

Cross-reference.

DATASHEET · CLEANERS

Ultrasonic Cleaner UC-AD Series.

SKU BIO-0702 Spec v1 Rev. 2026-07-09

DATASHEET · P
BIO-
Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience BIO-0702, Spec v1, 2026-07-09. conductscience.com/lab/ultrasonic-cleaner-uc-ad-series

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

BIO-0702 · DATASH