

DATASHEET · PORTABLE ANALYZERS

Water TDS Test Pen.

SKU CS-LH-TDS005 Spec v1 Rev. 2026-07-09

DATASHEET · P
CS-LH-TD
 Rev 2026



PRODUCT FAMILY
 ANIMAL MODEL
 APPLICATION
 COUNTRY OF ORIGIN
 MFG. STANDARD
 LOT TRACEABLE **No**
 VERIFIED **Spec v1 · 2026-07-09**

PRODUCT SPECIFICATIONS

FROM PUBLISHED PROD

TEST ITEM	Measuring Range	TDS	0-9999ppm
CONDUCTIVITY	0-9999µS/cm	AUTOMATION LEVEL	manual
BRAND	ConductScience	TEMPERATURE RANGE	0-80°C, 32-176°F
RESEARCH DOMAIN	Analytical Chemistry, Environmental Monitoring, Food Science, Industrial Hygiene, Materials Science, Pharmaceutical QC	DIMENSIONS L×W×H (MM)	20.0 × 10.0 × 5.0
WEIGHT (KG)	0.26	AVAILABILITY	In stock

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	Water TDS Test Pen	CS-LH-TDS005



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-LH-TDS005 · DATASH

DATASHEET · PORTABLE ANALYZERS

Water TDS Test Pen.

SKU CS-LH-TDS005 Spec v1 Rev. 2026-07-09

DATASHEET · P

CS-LH-TD

Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
Water TDS Test Pen

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · PORTABLE ANALYZERS

Water TDS Test Pen.

SKU CS-LH-TDS005 Spec v1 Rev. 2026-07-09

DATASHEET · P

CS-LH-TD

Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-09 · Since 2026-07-09.

Cite: ConductScience CS-LH-TDS005, Spec v1, 2026-07-09. conductscience.com/lab/water-tds-test-pen

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

CS-LH-TDS005 · DATASH