


DATASHEET · MICROFLUIDIC CHIPS

PDMS Chip (PMMA Mold Process).

SKU WHM-0129 Spec v1 Rev. 2026-07-08

DATASHEET · P
WHM.
 Rev 2026



- PRODUCT FAMILY
- ANIMAL MODEL
- APPLICATION
- COUNTRY OF ORIGIN
- MFG. STANDARD
- LOT TRACEABLE
- VERIFIED

No

Spec v1 · 2026-07-08

PRODUCT SPECIFICATIONS


FROM PUBLISHED PROD

PRODUCT TYPE	variable	PACK SIZE	10-Pack, 25-Pack
DIMENSIONS LxWxH (MM)	181.8 × 136.3 × 90.9	WEIGHT (KG)	3.3
AVAILABILITY	In stock		

BILL OF MATERIALS · 1 LINE ITEMS

BASE CONF

QTY	ITEM	SKU
1	PDMS Chip (PMMA Mold Process)	WHM-0129



Scope.

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

WHM-0129 · DATASH

DATASHEET · MICROFLUIDIC CHIPS

PDMS Chip (PMMA Mold Process).

SKU WHM-0129 Spec v1 Rev. 2026-07-08

DATASHEET · P
WHM.
Rev 2026

BILL OF MATERIALS · EXTENDED ATTRIBUTES

ITEM
PDMS Chip (PMMA Mold Process)

MATERIALS REFERENCE

0 MATERIAL

CODE	DESCRIPTION	PROPERTIES	USED IN
------	-------------	------------	---------

Cross-reference.

DATASHEET · MICROFLUIDIC CHIPS

PDMS Chip (PMMA Mold Process).

SKU WHM-0129 Spec v1 Rev. 2026-07-08

DATASHEET · P

WHM.

Rev 2026

OPERATING & STERILIZATION ENVELOPES

CONDITIONS, CYCLES, COMI

OPERATING

TEMPERATURE

HUMIDITY

PRESSURE

STORAGE

TEMPERATURE

HUMIDITY

ORIENTATION

STERILIZATION & CLEANING

AUTOCLAVE

GAMMA

AVOID

ETO

WIPE

ANIMAL COMPATIBILITY

BY SPECIES

NOTES

USE & S

SPECIES	BODY WEIGHT	CHAMBER FIT
---------	-------------	-------------

Specifications verified against current published product data. Verified 2026-07-08 · Since 2026-07-08.

Cite: ConductScience WHM-0129, Spec v1, 2026-07-08. conductscience.com/lab/pdms-chip-pmma-mold-process

INFO@CONDUCTSCIENCE.COM CONDUCTSCIENCE.COM

WHM-0129 · DATASH